





# Recent and New GNSS-RO missions: Quality Assessment and Comparative Data Assimilation

Francois Vandenberghe, Suryakanti Dutta, Hailing Zhang, Hui Shao and James Yoe

Joint Center for Satellite Data Assimilation (JCSDA)

# NOAA New Platforms Evaluation

New platforms are evaluated for operations during a Winter and Summer season in two steps:

- O-B statistics (Count, Bias, RMSE, rejection) are computed against NCEP operational 3-9hr forecasts.
- 2. Assimilation impact: the full operational suite is applied in cycling mode to assimilate the new dataset with current operational observations and compare to a control run

# NOAA New Platforms Evaluation


# Current platforms assimilated in operations are: COSMIC-1, MetOp-A&B, TerraX & TandemX

#### **Recent JCSDA evaluations include:**

- Kompsat-5 Jun & Dec 2016
- Megha-Tropiques Jan & Jun 2018
- PAZ Jun 2018
- MetOp-C Jan 2019
- COSMIC-2 Aug 2019 (first look)

# MetOp-C data count






MetOp-C data count, 19 Dec 2018 – 17 Jan, 2019

## PAZ data count






PAZ data count, 11 May – 09 June, 2018


# PAZ Statistics (after GSI QC)






PAZ Bias and RMSE, 11 May – 09 June, 2018

# MetOp-C Statistics (after GSI QC)



MetOp-C Bias and RMSE, 19 Dec – 17 Jan, 2019

### PAZ Forecast Impact



#### 5-day forecast 500hPa Height Anomaly Correlation


**CTRL**: operational configuration

PAZRO: CTRL + PAZ assimilation

**KOMPSAT5**: CTRL+KOMPSAT5 assimilation

June 01-30, 2018

## **METOP-C Forecast Impact**



5-day forecast 500hPa Height Anomaly Correlation

Verification Date

16JAN

21 JAN

26JAN

11JAN


6JAN


**CTRL**: operational configuration

METOPC: CTRL + METOP-C assimilation

January 01-31, 2019

# PAZ/MetOp-C Forecast Impact






# First Look at COSMIC 2




## 13 days between July 26-August 15, 2019



GFS v14


Num accepted obs: 166967 Num rejected obs: 19293


#### COSMIC2 Temperature Analysis Increment at 500hPa



#### **COSMIC2 Data Counts**







# SMIC-2 Statistics (13 days)

55

50

45

Impact Height (km)

15

10


5

COUNT ... (Dotted Line)

Mean Value(%)

BIAS - (Solid Line)

RMS -- (Dashed Line)



15

COUNT ... (Dotted Line)

Mean Value(%)

BIAS - (Solid Line)


RMS -- (Dashed Line)

COSMIC-2 bias, RMSE and data count, 26Jul – 15 Aug 2019 GFS v14

13

# SMIC-2 Statistics (13 days)






COSMIC-2 bias, RMSE and data count, 26Jul – 15 Aug 2019 GFS v14

# COSMIC-2 Statistics (13 days)







COSMIC-2 RMSE Global vs Tropics, 26Jul – 15 Aug 2019 GFS v14


# C-2 Statistics (13 days)







COSMIC-2 bias, RMSE and data count, 26Jul – 15 Aug 2019 GFS v14









# Summary



- 1. PAZ (Summer) and MetOp-C (Winter) found to have a neutral/positive impact on forecast. Evaluation for the other seasons is in progress.
- 2. COSMIC-2 initial data look promising. Larger variability in the lower tropopause.
- 3. Fair comparisons can only be made in the tropics.
- 4. GSI not tuned for COSMIC-2.

5. Full evaluation must be done with NOAA new FV3-GFS operational model.